



## PEMCO 465 Dexron VI PM0465

A universal all-season synthetic transmission fluid (ATF) for automatic gearboxes, hydraulic converters, hydraulic power steering systems, car hydraulic clutches and other hydraulic devices, including the ones operating in heavy-duty conditions in trucks and off-road vehicles. It ensures a flawless operation of an automatic gearbox, guarantees minimal wear, a lasting service life of transmissions and fuel economy. It was developed on the basis of the requirements set by GM and Ford groups.

### Product properties:

- The highest-quality low-viscosity synthetic base with a consistent high viscosity index in combination with a multifunctional additive package preserves all its properties in a wide range of temperatures: it ensures good lubricating properties at low (-45 °C and lower) temperatures in winter and ensures a stable oil film under extreme loads and at high temperatures in summer;
- The high-technology combination of additives ensures excellent antifriction properties for gear couplings and superior friction properties for friction elements thus ensuring a significant fuel economy, a continuous, exact and smooth transmission shift in any driving conditions and an extended service life of the automatic gearbox itself and all transmission elements. It ensures a coordinated and smooth operation of clutches. It prevents scuffing;
- It has an exceptional thermal-oxidative and chemical stability and resistance to the high-temperature thermal degradation throughout the entire service life. It allows reducing lacquering, formation of sludge, soot and other carbon deposits, increasing the time between oil changes and ensuring the durability of transmission components thus reducing the equipment maintenance costs;
- It effectively protects metal parts from ferrous and non-ferrous alloys (especially radiators) from corrosion when both in and not in operation; It has a great compatibility with friction coupling materials;
- It effectively resists aeration and foam formation;
- It ensures an excellent compatibility with all sealing materials, prevents them from swelling, hardening and shrinking that allows reducing the costs for spare parts and prevents leakages. It effectively protects fluoroelastomer seals of heavy equipment;
- It reduces noise.

It is recommended for automatic gearboxes of passenger cars requiring the ATF Type Dexron-VI or Dexron-III H/G/F or Dexron-III E or FORD MERCON LV quality oil. It is recommended for use in new 6-speed transmissions of GM, BMW, Land Rover, Jaguar vehicles, as well as 8- and 10-speed transmissions of Aisin vehicles.

Colour: red.

Comply with the manufacturer's instructions provided in the user's manual!

### SPECIFICATION

- JASO M315, Class 1-A-LV

## RECOMMENDATION

- AISIN WARNER JWS 3309
- AISIN WARNER JWS 3324
- AISIN WARNER ATF-OT4
- AISIN WARNER ATF-OWS
- CITROEN Z 000169756
- ALLISON C3
- ALLISON C2
- ALLISON 389
- ALLISON C4
- BENTLEY PY112995PA
- BOSCH TE-ML 09
- FORD ESP-M2C138-CJ
- FORD ESP-M2C166-H
- FORD XT-10-QLV [LV]
- FORD XT-2-QDX [M]
- FORD XT-2-QSM [Syn]
- FORD XT-5-QM [V]
- FORD XT-5-QSM [V Syn]
- FORD XT-6-QSP [SP]
- FORD XT-8-QAW [Premium]
- FORD XT-9- QMM5 [FRN5]
- FORD WSS-M2C922-A1
- FORD Mercon LV
- GM Dex [GM 6032M]
- GM Dex-B [GM 6032M]
- GM Dex-IIC [6137M]
- GM Dex-IID [GM 6137M]
- GM Dex-IIE [GM 6137M]
- GM Dex-IIIF [GM 6297M]
- GM Dex-IIIG [GM 6417M]
- GM Dex-IIIH [GM N10055]
- GM 19 40 700
- GM 19 40 767
- GM 21005966
- GM 88900925
- GM 9985010
- GM 9986195
- GM Type A Suffix A
- GM Saturn T-IV Fluid
- GM Saturn 22689186
- GM ATF Z1
- GM Saturn 22717466

- GM AW-1
- GM 19256039
- GM ATF WS
- GM 88863400
- GM 88863401
- GM Dex-VI [GMW 16444]
- HYUNDAI ATF RED-1K
- HYUNDAI Genuine ATF
- HYUNDAI JWS 3314
- HYUNDAI 00232-19023
- HYUNDAI 040000C90SG
- HYUNDAI 04500-00140
- HYUNDAI UM040 CH20 Red-1
- HYUNDAI SP
- HYUNDAI SP4-M1
- HYUNDAI SPH-IV
- HYUNDAI SP-II
- HYUNDAI SP-III
- HYUNDAI SP-IV
- HYUNDAI SP-IV-RR
- HYUNDAI WS, spec NWS-9638
- HYUNDAI ATF SP-IV
- KIA ATF RED-1K
- KIA ATF SP-IV
- KIA Genuine ATF
- KIA JWS 3314
- KIA 00232-19023
- KIA 040000C90SG
- KIA 04500-00140
- KIA SP
- KIA UM040 CH20 Red-1
- KIA SP4-M1
- KIA SPH-IV
- KIA SP-II
- KIA SP-III
- KIA SP-IV-RR
- KIA WS, spec NWS-9638
- KIA SP-IV
- TOYOTA ATF FZ
- TOYOTA JWS 3309
- TOYOTA 08886-81015
- TOYOTA Type T, T-II, T-III, T-IV
- TOYOTA Type D-II
- TOYOTA ATF WS Lifetime

- TOYOTA JWS 3324
- MB 236.11
- MB 236.12
- MB 236.15
- MB 236.2
- MB 236.41
- MB 236.5
- MB 236.8
- MB 236.14
- MB A 0019892203
- MB ATF 3403-M115
- MB 236.1
- MB 236.10
- VOLKSWAGEN LT 71141
- VOLKSWAGEN G 052 162 [AG4]
- VOLKSWAGEN G 052 533
- VOLKSWAGEN G 052 990 A2
- VOLKSWAGEN G 055 005 A2
- VOLKSWAGEN G 055 025 A2
- VOLKSWAGEN G 055 162 A2
- VOLKSWAGEN G 055 540 A2
- VOLKSWAGEN G 060 162 A2
- VOLKSWAGEN G US 000 162
- NISSAN Fluid A
- NISSAN Matic D
- NISSAN Matic J
- NISSAN Matic K
- NISSAN Matic W
- NISSAN N402
- NISSAN 999MP-MTJ00P, 999MP-MTS00P
- NISSAN Matic S
- BMW ATF 3+
- BMW ATF4
- BMW ATF6
- BMW ETL-7045
- BMW ETL-7045 E
- BMW ETL-8072B
- BMW LA 2634
- BMW LT 71141
- BMW M-L12108
- BMW 81 22 9 400 272
- BMW 81 22 9 400 275
- BMW 81 22 9 407 858
- BMW 81 22 9 407 859

- BMW 83 22 0 024 249
- BMW 83 22 0 024 359
- BMW 83 22 0 026 922
- BMW 83 22 0 142 516
- BMW 83 22 0 397 114
- BMW 83 22 0 402 413
- BMW 83 22 0 403 248
- BMW 83 22 0 403 249
- BMW 83 22 2 152 426
- BMW 83 22 2 163 514
- BMW 83 22 2 220 438
- BMW 83 22 2 220 440
- BMW 83 22 2 220 442
- BMW 83 22 2 289 720
- BMW 83 22 2 305 396
- BMW 83 22 2 305 397
- BMW 83 22 2 355 599
- BMW 83 22 2 355 601
- BMW 83 22 7 542 290
- BMW 83 22 9 407 765
- BMW 83 22 9 407 807
- MINI ATF JWS 3309
- MINI 83 22 0 402 413
- FCA 68171866AA
- FCA ATF+3
- FCA ATF+2
- FCA ATF+
- FCA ASRC
- FCA 8 & 9 Speed ATF
- FCA 68218925AA
- FCA 68218925AB
- FCA AW-1
- FCA 68092912AA
- FCA 68043742AA
- FCA Dex-VI
- FCA 05127382AA
- FCA 05127382
- FCA 68157995AA
- FCA 68157995AB
- FCA 68333587AA
- FCA SP-IV
- FCA SP-III
- FCA 68171869AA
- FCA Type 7176E

- FCA Type 9602
- FCA ATF+4
- ATF M-1375.6
- ATF LA 2634
- ATF L12108
- ATF ETL-7045 E
- ATF 3403-M115
- ATF 3100 PL085
- ATF 3353
- ATF 134
- ATF K17
- ATF N402
- ATF M-1375.4
- DAIHATSU D3-SP
- HONDA ATF DW-1
- HONDA 08200-9008
- HONDA ATF Type 3.0
- HONDA 08200-9016-A
- HONDA ATF Type 3.1
- HONDA 08200-9017
- HONDA ATF Z1
- HONDA 08200-9001
- HONDA 08200-9001A
- ISUZU ATF II
- ISUZU ATF III
- ISUZU Genuine ATF
- ISUZU 08200-9001
- ISUZU SCS
- JAGUAR 02JDE 26444
- JAGUAR Fluid 8432
- JAGUAR JLM 20238
- JAGUAR JLM 20292
- JAGUAR JLM 21044
- JAGUAR K17, Jatco 3100 PL085
- JAGUAR LT 71141
- JAGUAR WSS-M2C922-A1
- LAND ROVER ATF N402
- LAND ROVER AW-1, LR0022460: LV
- LAND ROVER JWS3309US
- LAND ROVER TYK500050
- LAND ROVER LR023288/LR023289
- MAN 339A
- MAN 339D
- MAN 339F

- MASERATI Oil No. 231603
- MAZDA ATF FZ, ATF N-1, ATF S-1
- MAZDA ATF M-5, 0000-23-ATF -M5
- MAZDA F-1
- MAZDA JWS3317
- MAZDA M3
- MAZDA Type T-IV, JWS 3309
- PEUGEOT Z 000169756
- PORSCHE JWS 3309
- PORSCHE 000 043 205 28
- PORSCHE LT 71141
- PORSCHE 000 043 204 63
- PORSCHE 000 043 304 00
- PORSCHE 999 917 547 00 (A2)
- PORSCHE 000 043 205 09
- PSA AL4 / 4HP20
- PSA 9730AE
- PSA B71 2340
- RENAULT DP-0
- RENAULT Matic D2
- RENAULT SATF-D
- ROLLS\_ROYCE Oil No. PL 31493PA
- SAAB ATF HP
- SAAB JWS 3309
- SAAB 93 160 393
- SAAB 93 165 147
- SATURN Dex-III G
- SATURN T-IV Fluid
- SATURN 22689186
- SSANGYONG DSIH 5M-52
- SSANGYONG DSIH 5M-66
- SUBARU ATF HP
- SUBARU ATF-WS
- SUBARU K0140Y0700
- SUBARU SOA635040
- SUZUKI ATF 2326
- SUZUKI ATF 2384K
- SUZUKI ATF 3314
- SUZUKI ATF 3317
- SUZUKI ATF 5D06
- SUZUKI Matic D
- SUZUKI Matic J
- SUZUKI Matic S
- VOLVO 97340, AT100

- VOLVO 97341, AT101
- VOLVO 1161521
- VOLVO 1161621
- VOLVO 1161640
- VOLVO 1161540
- VOLVO 31 256 774
- VOLVO 31 256 775
- ZF TE-ML 11A
- ZF TE-ML 11B
- ZF TE-ML 21L
- ZF LifeguardFluid 5 (ZF No. S671 090 170)
- ZF LifeguardFluid 6 (ZF No. S671 090 255)
- ZF LifeguardFluid 8 (ZF No. S671 090 312)
- ZF LifeguardFluid 9 (ZF No. AA01.500.001)
- ZF TE-ML 05L